

# CUSTOM STEEL



## 51-Black Daytona

-Lug nuts and center cap NOT included  
 \*\*Cap included



Part #	Size	Bolt Pattern	Offset (mm)	Back Space (Inches)	Hub Bore (Inches)	Load Rating (Lb.)	Ship Weight (lb.)	Center Cap
5150012	15X10	5X4.5	-38	4	3.3	1500	34	CP3300-S
5150050	15X10	5X5	-38	4	3.3	1500	34	CP3300-S
5150055	15X10	5X5.5	-38	4	4.25	1500	34	CP4250-S
5150060	15X10	6X5.5	-38	4	4.25	1500	34	CP4250-S
5151260	15X12	6X5.5	-63	4	4.25	1400	35	CP4250-S
5151460	15X14	6X5.5	-89	4	4.25	1400	35	CP4250-S
5157012	15X7	5X4.5	-6	3.75	3.3	1600	26	CP3300-S
5157012P	15X7	5X4.5	12	4.5	3.3	1600	26	CP3300-S
5157034	15X7	5X4.75	-6	3.75	3.3	1600	26	CP3300-S
5157050	15X7	5X5	-6	3.75	3.3	1600	26	CP3300-S
5157055	15X7	5X5.5	-6	3.75	4.25	1600	26	CP4250-S
5157060	15X7	6X5.5	-6	3.75	4.25	1600	26	CP4250-S
5157060-47	15X7	6X5.5	19	4.75	4.25	1600	26	CP4250-S
5157060P	15X7	6X5.5	12	4.5	4.25	1600	26	CP4250-S
5158012	15X8	5X4.5	-19	3.75	3.3	1500	28	CP3300-S
5158012P	15X8	5X4.5	6	4.75	3.3	1500	28	CP3300-S
5158034	15X8	5X4.75	-19	3.75	3.3	1500	28	CP3300-S
5158050	15X8	5X5	-19	3.75	3.3	1500	28	CP3300-S
5158055	15X8	5X5.5	-19	3.75	4.25	1500	28	CP4250-S
5158060	15X8	6X5.5	-19	3.75	4.25	1500	28	CP4250-S
5158060P	15X8	6X5.5	6	4.75	4.25	1500	28	CP4250-S
5161080	16X10	8X6.5	-25	4.5	5.15	3500	38	CP5150-S
5167012	16X7	5X4.5	0	4	3.3	1700	35	CP3300-S
5167035	16X7	5x135	0	4	3.43	2000	35	CP3420-S
5167050	16X7	5X5	0	4	3.3	1700	35	CP3300-S
5167055	16X7	5X5.5	0	4	4.28	2000	35	CP4250-S
5167060	16X7	6X5.5	0	4	4.25	2000	35	CP4250-S
5167080	16X7	8X6.5	0	4	5.15	3500	35	CP5150-S
5168012	16X8	5X4.5	0	4.5	3.3	1700	37	CP3300-S
5168050	16X8	5X5	0	4.5	3.3	1700	37	CP3300-S
5168055	16X8	5X5.5	0	4.5	4.28	2000	37	CP4250-S
5168060	16X8	6X5.5	0	4.5	4.25	2000	37	CP4250-S
5168080	16X8	8X6.5	0	4.5	5.15	3500	37	CP5150-S
5178055	17X8	5X5.5	+6	4.75	4.28	2000	38	CP4250-S
5178060	17X8	6X5.5	+6	4.75	4.25	2000	38	CP4250-S
5178080	17X8	8X6.5	+12	5	5.15	3500	38	CP5150-S
5179055	17X9	5X5.5	0	5	4.28	2000	40	CP4250-S
5179060	17X9	6X5.5	0	5	4.25	2000	40	CP4250-S
5179080	17X9	8X6.5	0	5	5.15	3500	40	CP5150-S



# CUSTOM STEEL



## 54B-Black Daytona

- Street Lock
- Lug nuts and center cap NOT included



Part #	Size	Bolt Pattern	Offset (mm)	Back Space (Inches)	Hub Bore (Inches)	Load Rating (Lb.)	Ship Weight (lb.)	Center Cap
54B-50012	15X10	5X4.5	-44	3.75	3.3	1500	34	CP3300-S
54B-50055	15X10	5X5.5	-44	3.75	4.25	1500	34	CP4250-S
54B-50060	15X10	6X5.5	-44	3.75	4.25	1500	34	CP4250-S
54B-58012	15X8	5X4.5	-19	3.75	3.3	1500	28	CP3300-S
54B-58055	15X8	5X5.5	-19	3.75	4.25	1500	28	CP4250-S
54B-58060	15X8	6X5.5	-19	3.75	4.25	1500	28	CP4250-S
54B-60060	16X10	6X5.5	-38	4	4.25	1700	38	CP4250-S
54B-60080	16X10	8X6.5	-38	4	5.15	3500	38	CP5150-S
54B-68012	16X8	5X4.5	-6	4.25	3.3	1700	37	CP3300-S
54B-68050	16X8	5X5	-6	4.25	3.3	1700	37	CP3300-S
54B-68060	16X8	6X5.5	-6	4.25	4.25	2000	37	CP4250-S
54B-68080	16X8	8X6.5	-6	4.25	5.15	3500	37	CP5150-S
54B-79055	17X9	5X5.5	-19	4.25	4.25	2000	40	CP4250-S
54B-79060	17X9	6X5.5	-19	4.25	4.25	2000	40	CP4250-S
54B-79080	17X9	8X6.5	-19	4.25	5.15	3500	40	CP5150-S



## 54M-Matte Black Daytona

- Street Lock
- Lug nuts and center cap NOT included



Part #	Size	Bolt Pattern	Offset (mm)	Back Space (Inches)	Hub Bore (Inches)	Load Rating (Lb.)	Ship Weight (lb.)	Center Cap
54M-50012	15X10	5X4.5	-44	3.75	3.3	1500	34	CP3300-S
54M-50055	15X10	5X5.5	-44	3.75	4.25	1500	34	CP4250-S
54M-50060	15X10	6X5.5	-44	3.75	4.25	1500	34	CP4250-S
54M-58012	15X8	5X4.5	-19	3.75	3.3	1500	28	CP3300-S
54M-58050	15X8	5X5	-19	3.75	3.3	1500	28	CP3300-S
54M-58055	15X8	5X5.5	-19	3.75	4.25	1500	28	CP4250-S
54M-58060	15X8	6X5.5	-19	3.75	4.25	1500	28	CP4250-S
54M-60060	16X10	6X5.5	-38	4	4.25	1700	38	CP4250-S
54M-60080	16X10	8X6.5	-38	4	5.15	3500	38	CP5150-S
54M-68012	16X8	5X4.5	-6	4.25	3.3	1700	37	CP3300-S
54M-68050	16X8	5X5	-6	4.25	3.3	1700	37	CP3300-S
54M-68060	16X8	6X5.5	-6	4.25	4.25	2000	37	CP4250-S
54M-68080	17X9	8X6.5	-6	4.25	5.15	3500	37	CP5150-S
54M-79055	17X9	5X5.5	-19	4.25	4.25	2000	40	CP4250-S
54M-79060	17X9	6X5.5	-19	4.25	4.25	2000	40	CP4250-S
54M-79080	17X9	8X6.5	-19	4.25	5.15	3500	40	CP5150-S



# CUSTOM STEEL



## ***80-White 8 Spoke***

-Lug nuts and center cap NOT included

Part #	Size	Bolt Pattern	Offset (mm)	Back Space (Inches)	Hub Bore (Inches)	Load Rating	Ship Weight (lb.)	Center Cap
8035512	13X5.5	5X4.5	0	3.25	3.3	1100	19	CP3300-S
8046034	14X6	5X4.75	0	3.5	3.3	1400	21	CP3300-S
8046060	14X6	6X5.5	0	3.5	4.25	1400	21	CP4250-S
8047012	14X7	5X4.5	-6	3.75	3.3	1400	23	CP3300-S
8047060	14X7	6X5.5	-6	3.75	4.25	1400	23	CP4250-S
8050060	15X10	6X5.5	-44	3.75	4.25	1500	34	CP4250-S
8050080	15X10	8X6.5	-35	4.125	5.15	1500	34	CP5150-S
8057012	15X7	5X4.5	-6	3.75	3.3	1600	26	CP3300-S
8057034	15X7	5X4.75	-6	3.75	3.3	1600	26	CP3300-S
8057050	15X7	5X5	-6	3.75	3.3	1600	26	CP3300-S
8057055	15X7	5X5.5	-6	3.75	4.25	1600	26	CP4250-S
8057060	15X7	6X5.5	-6	3.75	4.25	1600	26	CP4250-S
8057080	15X7	8X6.5	0	4	5.15	1600	26	CP5150-S
8058012	15X8	5X4.5	-19	3.75	3.3	1500	28	CP3300-S
8058055	15X8	5X5.5	-19	3.75	4.25	1500	28	CP4250-S
8058060	15X8	6X5.5	-19	3.75	4.25	1500	28	CP4250-S
8058080	15X8	8X6.5	-12	4	5.15	1500	28	CP5150-S
8067055	16X7	5X5.5	0	4	4.25	2000	33	CP4250-S
8067060	16X7	6X5.5	0	4	4.25	2000	33	CP4250-S
8067080	16X7	8X6.5	0	4	5.15	2000	33	CP5150-S
8068060	16X8	6X5.5	0	4.5	4.25	2000	37	CP4250-S
8068080	16X8	8X6.5	0	4.5	5.15	2200	37	CP5150-S

Part #	Size	Bolt Pattern	Offset (mm)	Back Space (Inches)	Hub Bore (Inches)	Trailer Load Rating	Ship Weight (lb.)	Center Cap
8024012	12X4	5X4.5	-3	2.375	2.95	1045	10	CP2950-S
8024040	12X4	4X4	-3	2.375	2.82	1045	10	CP2820-S
8034512	13X4.5	5X4.5	0	2.75	3.3	1660	19	CP3300-S
8034540	13X4.5	4X4	0	2.75	3.3	1660	19	CP3300-S
8046012	14X6	5X4.5	0	3.5	3.3	1870	21	CP3300-S
8056012	15X6	5X4.5	0	3.5	3.3	2600	24	CP3300-S
8056034	15X6	5X4.75	0	3.5	3.3	2600	24	CP3300-S
8056050	15X6	5X5	0	3.5	3.3	2600	24	CP3300-S
8056055	15X6	5X5.5	0	3.5	4.25	2600	24	CP4250-S
8056060	15X6	6X5.5	0	3.5	4.25	2830	24	CP4250-S
8066060	16X6	6X5.5	0	3.5	4.25	3140	27	CP4250-S
8066080	16X6	8X6.5	0	3.5	5.15	3750	29	CP5150-S



# CUSTOM STEEL



## 81-Black Soft 8

-Lug nuts and center cap NOT included  
 \*\*Cap Included



Part #	Size	Bolt Pattern	Offset (mm)	Back Space (Inches)	Hub Bore (Inches)	Load Rating (Lb.)	Ship Weight (lb.)	Center Cap
8150012	15X10	5X4.5	-38	4	3.3	2200	34	CP3300-S
8150050	15X10	5X5	-38	4	3.3	2200	34	CP3300-S
8150055	15X10	5X5.5	-38	4	4.28	2200	34	CP4250-S
8150060	15X10	6X5.5	-38	4	4.25	2200	34	CP4250-S
8157012	15X7	5X4.5	-6	3.75	3.3	2200	26	CP3300-S
8158012	15X8	5X4.5	-19	3.75	3.3	2200	28	CP3300-S
8158055	15X8	5X5.5	-19	3.75	4.28	2200	28	CP4250-S
8158060	15X8	6X5.5	-19	3.75	4.25	2200	28	CP4250-S
8160055	16X10	5X5.5	-25	4.5	4.25	2200	39	CP4250-S
8160060	16X10	6X5.5	-25	4.5	4.25	2200	39	CP4250-S
8160080	16X10	8X6.5	-25	4.5	5.15	3500	39	CP5150-S
8168035	16X8	5X135	0	4.5	3.42	2500	37	CP3420-S
8168050	16X8	5X5	0	4.5	3.3	2200	37	CP3300-S
8168055	16X8	5X5.5	0	4.5	4.25	2200	37	CP4250-S
8168060	16X8	6X5.5	0	4.5	4.25	2200	37	CP4250-S
8168080	16X8	8X6.5	0	4.5	5.15	3500	37	CP5150-S
8179035	17X9	5X135	0	5	3.42	2200	39	CP3420-S
8179050	17X9	5X5	0	5	3.3	2200	40	CP3300-S
8179055	17X9	5X5.5	0	5	4.25	2200	40	CP4250-S
8179060	17X9	6X5.5	0	5	4.25	2200	40	CP4250-S
8179080	17X9	8X6.5	0	5	5.15	3500	40	CP5150-S
8179081	17X9	8X170	0	5	5.15	3500	40	CP5150-S

